

Bearing No.		Boundary dimensions (mm)							Basic load ratings (kN)		Limiting speeds (rpm)		Weight
轴承型号		尺寸							额定负荷极限		极限转速		重量
Cone	Cup	d	D	T	B	C	R	r	Dynamic (Cr)	Static (Cor)	Grease	Oil	
内圈	外圈								动载	静载	脂	油	Kg
11590	11520	15.875	42.862	14.288	14.288	9.525	1.5	1.5	17.6	17.6	8500	12000	0.1
LM11749	LM11710	17.462	39.878	13.843	14.605	10.668	1.3	1.3	21.2	20.8	9000	13000	0.081
LM11949	LM11910	19.050	45.237	15.494	16.637	12.065	1.3	1.3	27.5	27.5	8500	12000	0.12
09067	09195	19.050	49.225	18.034	19.05	14.288	1.3	1.3	39.1	40	8000	11000	0.18
09074	09196	19.050	49.225	23.02	21.539	17.462	1.5	1.5	39.1	40	8000	11000	0.21
A6075	A6157	19.050	39.992	12.014	11.153	9.525	1.0	1.3	14.9	15.7	9500	13000	0.066
09067	09196	19.050	49.225	21.209	19.050	17.462	1.3	1.5	39.1	40	8000	11000	0.2
09074	09195	19.050	49.225	19.845	21.539	14.288	1.5	1.3	39.1	40	4300	8000	0.19
09074	09194	19.050	49.225	23.020	21.539	17.462	1.5	3.5	37.5	37.0	8500	11000	0.21
12580	12520	20.638	49.225	19.845	19.845	15.875	1.5	1.5	37.5	39.0	8200	11000	
M12649	M12610	21.430	50.005	17.526	18.288	13.970	1.3	1.3	36.9	38	8000	11000	0.17
LM12749	LM12710	21.986	45.237	15.494	16.637	12.065	1.3	1.3	27.5	31	8000	11000	0.12
LM12749	LM12711	21.986	45.974	15.494	16.637	12.065	1.3	1.3	27.5	31	8000	11000	0.12
M12648	M12610	22.225	50.005	17.526	18.288	13.970	1.3	1.3	39.1	40.7	8500	11000	0.17
1280	1220	22.225	57.150	22.225	22.225	17.462	0.8	1.6	52.6	55.7	7600	10000	
1755	1729	22.225	56.896	19.368	19.837	15.875	1.3	0.8	46	43.1	7600	10000	
07093	07196	23.812	50.005	13.495	14.260	9.525	1.5	1.0	26.0	27.9	7600	10000	
07097	07196	25.000	50.005	13.495	14.260	9.525	1.5	1.0	26.7	28.8	7900	11000	0.146
07100	07204	25.400	51.994	15.011	14.260	12.700	1.5	1.3	26.7	28.8	7900	11000	0.145
1780	1729	25.400	56.896	19.368	19.837	15.875	0.8	1.3	42.5	46.5	7200	9600	
L44643	L44610	25.400	50.292	14.224	14.732	10.668	1.3	1.3	26	30	7500	10000	0.13
M84548	M84510	25.400	57.150	19.431	19.431	14.732	1.5	1.5	39.6	45	6700	9000	0.24
15101	15243	25.400	61.912	19.050	20.638	14.288	0.8	2.0	44.6	50.7	6400	8600	0.28
07100	07196	25.400	50.005	13.495	14.260	9.525	1.5	1.0	26.7	28.8	7900	11000	0.12
15101	15245	25.400	62.000	19.050	20.638	14.288	0.8	1.3	48.4	57	6000	8000	0.31
15101	15250X	25.400	63.500	20.638	20.638	15.875	0.8	1.5	48.4	57	6000	8000	0.34
L44649	L44610	26.988	50.292	14.224	14.732	10.668	3.5	1.3	26	30	7500	10000	0.11
1988	1922	28.575	57.150	19.845	19.355	15.875	3.5	1.5	47.3	55	6700	9000	0.22
02474	02420	28.575	68.262	22.225	22.225	17.462	0.8	1.5	58.3	69.5	5600	7500	0.42
02872	02820	28.575	73.025	22.225	22.225	17.462	0.8	3.2	55.0	65.7	5500	7400	

15112	15245	28.575	62.000	19.050	20.638	14.288	3.5	1.3	48.4	57	6000	8000	0.28
L45449	L45410	29.000	50.292	14.224	14.732	10.668	3.5	1.3	26	32.5	7000	9500	0.11
15116	15245	30.112	62.000	19.050	20.638	14.288	0.1	1.2	44.6	50.7	6400	8600	
M86649	M86610	30.162	64.292	21.433	21.433	16.670	1.5	1.5	49.5	61	6000	8000	0.33
M88043	M88010	30.162	68.262	22.225	22.225	17.462	2.3	1.5	55	69.5	5600	7500	0.41
02475	02420	31.750	68.262	22.225	22.225	17.462	3.6	1.6	51.0	61.1	6000	8000	
14125A	14276	31.750	69.012	19.845	19.583	15.875	3.5	1.3	44.5	55.0	5500	7500	0.35
LM67048	LM67010	31.750	59.131	15.875	16.764	11.811	3.6	1.3	34.7	41.5	6300	8500	0.18
2580	2520	31.750	66.421	25.400	25.357	20.638	0.8	3.3	69.3	81.5	5600	7500	0.4
2580	2523	31.750	69.850	23.812	25.357	19.050	0.8	1.3	69.0	81.5	5700	7600	0.45
14125A	14276	31.750	69.012	19.845	19.583	15.875	3.5	1.3	48.5	58.0	5600	7400	0.35
15123	15245	31.750	62.000	18.161	19.050	14.288	4	1.3	48.4	57	6000	8000	0.24
15126	15245	31.750	62.000	19.050	20.638	14.288	0.8	1.2	44.6	50.7	6400	8600	
HM88542	HM88510	31.750	73.025	29.370	27.783	23.020	1.3	3.3	74.3	101.0	5600	7500	0.62
M88048	M88010	33.338	68.262	22.225	22.225	17.462	0.8	1.5	55	69.5	5600	7500	0.38
14130	14276	33.338	69.012	19.845	19.583	15.875	3.5	1.3	53.9	67	5600	7500	0.35
14136 A	14276	34.925	69.012	26.982	26.721	15.875	0.8	1.3	53.9	67	5600	7500	0.33
25877	25821	34.925	73.025	23.812	24.608	19.050	1.5	0.8	72.1	88	5300	7000	0.47
LM48548	LM48510	34.925	65.088	18.034	18.288	13.970	3.6	1.3	47.3	57	5600	7500	0.25
HM88649	HM88610	34.925	72.233	25.400	25.400	19.842	2.3	2.3	67.1	90	5000	6700	0.5
HM89446	HM89410	34.925	76.2	29.37	28.575	23.02	3.5	3.3	78.1	106	4800	6300	0.66
L68149	L68110	34.988	59.131	15.875	16.764	11.938	3.5	1.3	33	44	6000	8000	0.17
L68149	L68111	34.988	59.974	15.875	16.764	11.938	3.5	1.3	33	44	6000	8000	0.17
LM78349A	LM78310A	34.988	61.973	16.700	17.000	13.600	1.5	1.5	37.0	48.0	5900	7900	0.21
HM88648	HM88610	35.717	72.233	25.400	25.400	19.842	3.6	2.4	66.9	87.4	5700	6900	
25880	25821	36.487	73.025	23.812	24.608	19.05	1.5	0.8	72.1	88	5300	7000	0.46
25880	25820	36.487	73.025	23.812	24.608	19.05	1.5	0.8	72.1	88	5300	7000	0.45
2794	2720	36.487	76.2	23.812	25.654	19.05	3.5	3.3	74.8	93	5000	6700	0.5
HM89448	HM89410	36.512	76.200	29.370	28.575	23.02	0.8	3.3	78.1	106	4800	6300	0.64
HM89449	HM89410	36.512	76.200	29.370	28.575	23.02	3.5	3.3	78.1	106	4800	6300	0.64
JL69349	JL69310	38.000	63.000	17.000	17.000	13.500	sp	1.3	43.5	58.2	6000	8000	0.2
LM29748	LM29710	38.100	65.088	18.034	18.288	13.97	sp	1.3	42.9	56.5	5800	7800	0.24
LM29749	LM29710	38.100	65.088	18.034	18.288	13.97	2.3	1.3	42.9	57.0	5600	7500	0.24
LM29749	LM29711	38.100	65.088	19.812	18.288	15.748	2.3	1.3	42.9	57	5600	7500	0.25
3490	3420	38.100	79.375	29.370	29.771	23.812	3.5	3.3	91.3	110	5000	6700	0.67
418	414	38.100	88.5	26.988	29.083	22.225	3.5	1.5	101	114	4800	6300	0.83
2788	2720	38.100	76.200	23.812	25.654	19.050	3.5	3.3	74.8	93	5000	6700	0.5

<b>16150</b>	<b>16282</b>	38.100	72	19.000	20.638	14.237	3.5	1.5	49.5	60	5300	7000	0.33
<b>HM801346</b>	<b>HM801310</b>	38.1	82.55	29.37	28.575	23.02	0.8	3.3	85.8	118	4500	6000	0.78
<b>25572</b>	<b>25520</b>	38.100	82.931	23.812	25.400	19.050	0.8	0.8	77.2	100.0	4800	6300	0.64
<b>LM300849</b>	<b>LM300811</b>	40.988	67.975	17.500	18.000	13.500	3.6	1.5	44	58.5	5300	7000	0.24
<b>LM501349</b>	<b>LM501310</b>	41.275	73.431	19.558	19.812	14.732	3.5	0.8	55	69.5	4800	6300	0.33
<b>LM501349</b>	<b>LM501314</b>	41.275	73.431	21.430	19.812	16.604	3.5	0.8	55	69.5	4800	6300	0.35
<b>LM501349</b>	<b>LM501311</b>	41.275	73.431	23.012	19.812	18.186	3.5	2.3	55	69.5	4800	6300	0.37
<b>M802048</b>	<b>M802011</b>	41.275	82.550	26.543	25.654	20.193	3.5	3.3	73.7	91.5	4500	6000	0.62
<b>18590</b>	<b>18520</b>	41.275	73.025	16.667	17.462	12.700	3.5	1.5	46.8	56	5000	6700	0.28
<b>11162</b>	<b>11300</b>	41.275	76.200	18.009	17.384	14.288	1.5	1.5	45.7	56	5000	6700	0.34
<b>24780</b>	<b>24720</b>	41.275	76.200	22.225	23.020	17.462	3.5	0.8	68.2	86.5	5000	6700	0.43
<b>HM803146</b>	<b>HM803110</b>	41.275	88.9	30.162	29.37	23.02	3.5	3.3	95.2	127	4300	5600	0.9
<b>526</b>	<b>522</b>	41.275	101.6	34.925	36.068	26.988	3.5	3.3	151	190	3800	5000	1.45
<b>3579</b>	<b>3525</b>	42.862	87.312	30.162	30.886	23.812	3.5	3.3	102	132	4500	6000	0.8
<b>25577</b>	<b>25520</b>	42.875	82.931	23.812	25.400	19.050	3.5	0.8	80.9	106	4500	6000	0.57
<b>25577</b>	<b>25523</b>	42.875	82.931	26.988	25.4	22.225	3.5	2.3	80.9	106	4500	6000	0.61
<b>25577</b>	<b>25522</b>	42.875	83.058	23.876	25.4	19.114	3.5	2	80.9	106	4500	6000	0.57
<b>527</b>	<b>522</b>	44.450	101.600	34.925	36.068	26.988	3.5	3.3	151	190	3800	5000	1.35
<b>535</b>	<b>532 A</b>	44.450	111.125	38.100	36.957	30.162	3.5	3.3	151	190	3600	4800	1.9
<b>25580</b>	<b>25520</b>	44.450	82.931	23.812	25.400	19.050	3.5	0.8	80.9	106	4500	6000	0.57
<b>25580</b>	<b>25523</b>	44.45	82.931	26.988	25.4	22.225	3.5	2.3	80.9	106	4500	6000	0.61
<b>25580</b>	<b>25522</b>	44.45	83.058	23.876	25.4	19.114	3.5	2	80.9	106	4500	6000	0.57
<b>HM803149</b>	<b>HM803110</b>	44.45	88.9	30.162	29.37	23.02	3.5	3.3	95.2	127	4300	5600	0.85
<b>17887</b>	<b>17831</b>	45.230	79.985	19.842	20.638	15.080	2.0	1.3	62.0	78.5	4500	6000	0.41
<b>LM603049</b>	<b>LM603011</b>	45.242	77.788	19.842	19.842	15.080	3.5	0.8	53.9	69.5	4800	6300	0.37
<b>LM603049</b>	<b>LM603014</b>	45.242	79.974	19.842	19.842	15.000	3.5	0.8	57.1	73.5	4900	6500	
<b>LM603049</b>	<b>LM603012</b>	45.242	77.788	21.430	19.842	16.667	3.5	0.8	57.1	73.5	4900	6500	0.38
<b>LM102949</b>	<b>LM102910</b>	45.242	73.431	19.558	19.812	15.748	3.5	0.8	55.6	78.1	5100	6700	0.3
<b>25590</b>	<b>25520</b>	45.618	82.931	23.812	25.400	19.050	3.5	0.8	80.9	106	4500	6000	0.55
<b>25590</b>	<b>25523</b>	45.618	82.931	26.988	25.400	22.225	3.5	2.3	80.9	106	4500	6000	0.59
<b>LM503349</b>	<b>LM503310</b>	45.987	74.976	18.000	18.000	14.000	2.3	1.5	50.1	71	4800	6300	0.31
<b>M804049</b>	<b>M804010</b>	47.625	88.900	25.400	25.400	19.050	3.5	3.3	87.1	112.0	4400	5900	
<b>386 A</b>	<b>382 A</b>	47.625	96.838	21.000	21.946	15.875	0.8	0.8	80.9	102	3800	5500	0.73
<b>JLM104948</b>	<b>JLM104910</b>	50.000	82.000	21.501	21.501	17.000	3.0	0.5	71.7	97.9	4500	6000	0.42
<b>LM104949</b>	<b>LM104911</b>	50.800	82.550	21.590	22.225	16.51	3.5	1.3	61.2	84.3	4500	6000	0.42
<b>LM104949</b>	<b>LM104912</b>	50.800	82.931	21.590	22.225	16.510	3.5	1.3	69.5	94.0	4300	5700	

<b>368A</b>	<b>362A</b>	50.800	88.900	20.638	22.225	16.513	3.5	1.3	76.5	91.5	4300	5600	0.5
<b>368A</b>	<b>362X</b>	50.800	90	25	22.225	20	3.5	2	76.5	91.5	4300	5600	0.58
<b>529</b>	<b>522</b>	50.800	101.600	34.925	36.068	26.988	0.8	3.2	131.0	159.0	4000	5300	
<b>529X</b>	<b>522</b>	50.800	101.600	34.925	36.068	26.988	3.5	3.3	151	190	3800	5000	1.25
<b>3780</b>	<b>3720</b>	50.800	93.264	30.162	30.302	23.812	3.5	3.3	110	146	4000	5300	0.87
<b>28580</b>	<b>28521</b>	50.800	92.075	24.608	25.400	19.845	3.5	0.8	85.8	118	4000	5300	0.72
<b>368A</b>	<b>363</b>	50.800	90.000	20.000	22.225	20.000	3.5	0.8	76.5	90.5	4100	5500	
<b>28584</b>	<b>28521</b>	52.388	92.075	24.608	25.400	19.845	3.5	0.8	84.8	119.0	4200	5600	0.67
<b>539</b>	<b>532X</b>	53.975	107.950	36.512	36.957	28.575	3.5	3.3	151	190	3600	4800	1.5
<b>JLM506849</b>	<b>JLM506810</b>	55.000	90.000	23.000	23.000	18.500	1.6	0.5	81.4	115.0	4200	5500	
<b>39581</b>	<b>39520</b>	57.150	112.712	30.162	30.162	23.812	8	3.3	142	204	3200	4300	1.4
<b>387</b>	<b>382A</b>	57.150	96.838	21.000	21.946	15.875	2.3	0.8	80.9	102	3800	5000	0.59
<b>387A</b>	<b>382A</b>	57.150	96.838	21.000	21.946	15.875	3.5	0.8	80.9	102	3800	5000	0.59
<b>387AS</b>	<b>382A</b>	57.150	96.838	21.000	21.946	15.875	5	0.8	80.9	102	3800	5000	0.58
<b>387</b>	<b>382S</b>	57.150	96.838	21.000	21.946	15.875	2.3	2.3	80.9	102	3800	5000	0.59
<b>387A</b>	<b>382S</b>	57.150	96.838	21.000	21.946	15.875	3.5	2.3	80.9	102	3800	5000	0.59
<b>387AS</b>	<b>382S</b>	57.150	96.838	21.000	21.946	15.875	5	2.3	80.9	102	3800	5000	0.58
<b>462</b>	<b>453X</b>	57.150	104.775	30.162	29.317	24.605	2.3	3.3	109.0	144.0	3700	4900	1.08
<b>28985</b>	<b>28920</b>	60.325	101.600	25.400	25.400	19.845	3.5	3.3	85.8	125	3600	4800	0.81
<b>28985</b>	<b>28921</b>	60.325	100.000	25.400	25.400	19.845	3.5	3.3	85.8	125	3600	4800	0.77
<b>395</b>	<b>394A</b>	63.500	110.000	22.000	21.996	18.824	3.5	1.3	88	118	3200	4300	0.84
<b>29585</b>	<b>29520</b>	63.5	107.95	25.4	25.4	19.05	3.5	3.3	89.7	137	3200	4300	0.9
<b>559</b>	<b>552A</b>	63.500	123.825	38.100	36.678	30.162	3.5	3.3	172	240	3000	4000	2
<b>39585</b>	<b>39520</b>	63.500	112.712	30.162	30.162	23.812	3.5	3.3	142.0	204	3200	4300	1.25
<b>395S</b>	<b>394A</b>	66.675	110.000	22.000	21.996	18.824	3.5	1.3	88	118	3200	4300	0.79
<b>HM212049</b>	<b>HM212011</b>	66.675	122.238	38.100	38.354	29.718	3.5	3.5	191.0	249.0	3200	4300	1.85
<b>3984</b>	<b>3920</b>	66.675	112.712	30.162	30.048	23.812	3.5	3.3	123	183	3200	4300	1.15
<b>39590</b>	<b>39520</b>	66.675	112.712	30.162	30.162	23.812	3.5	3.3	142	204	3200	4300	1.2
<b>399A</b>	<b>394A</b>	68.262	110.000	22.000	21.996	18.824	2.3	1.3	88	118	3200	4300	0.76
<b>482</b>	<b>472</b>	69.850	120.000	29.794	29.007	24.237	3.5	2.0	132	186	3000	4000	1.35
<b>566</b>	<b>563</b>	69.850	127.000	36.512	36.17	28.575	3.5	3.3	176	255	2800	3800	1.85
<b>484</b>	<b>472</b>	70.000	120.000	29.794	29.007	24.237	2.0	2.0	132	186	3000	4000	1.3
<b>567A</b>	<b>563</b>	71.438	127.000	36.512	36.170	28.575	3.5	3.3	156.0	226.0	3000	4000	
<b>29685</b>	<b>29620</b>	73.025	112.712	25.400	25.400	19.050	3.5	3.3	99	156	3000	4000	0.89
<b>567</b>	<b>563</b>	73.025	127.000	36.512	36.170	28.575	3.5	3.3	176	255	2800	3800	1.85
<b>575</b>	<b>572</b>	76.200	139.992	36.512	36.098	28.575	3.5	3.3	187	280	2400	3400	2.45

<b>581</b>	<b>572</b>	80.962	139.992	36.512	36.098	28.575	3.5	3.3	175.0	262.0	2700	3600	
<b>740</b>	<b>742</b>	80.962	150.098	44.450	46.672	36.512	5.2	3.2	264.0	368.0	2500	3400	
<b>580</b>	<b>572</b>	82.550	139.992	36.512	36.098	28.575	3.5	3.3	187	280	2400	3400	2.2
<b>663</b>	<b>653</b>	82.550	146.050	41.275	41.275	31.750	3.5	3.3	220	320	2200	3200	2.8
<b>27690</b>	<b>27620</b>	83.345	125.412	25.400	25.400	19.845	3.5	1.5	112	186	2600	3600	1.05
<b>498</b>	<b>493</b>	84.138	136.525	30.162	29.769	22.225	3.5	3.3	145	220	2400	3400	1.6
<b>749</b>	<b>742</b>	85.026	150.089	44.450	46.672	36.512	3.5	3.3	286	405	2200	3200	3.3
<b>HM518445</b>	<b>HM518410</b>	88.900	152.400	39.688	39.688	30.162	6.4	3.3	242	355	2000	3000	2.85
<b>HM218248</b>	<b>HM218210</b>	89.974	146.975	40.000	40.000	32.500	7	3.5	229	355	2200	3200	2.5
<b>42381</b>	<b>42584</b>	96.838	148.430	28.575	28.971	21.433	3.5	3.0	130	196	2200	3200	1.65
<b>L521949</b>	<b>L521910</b>	107.950	146.050	21.432	21.432	16.670	1.6	1.6	86.4	167.0	2300	3100	